

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	8	(US-20020146125-\$ or US-20040109569-\$).did. or (US-5757914-\$ or US-6263081-\$ or US-6212277-\$ or US-6134325-\$ or US-7174568-\$).did. or (EP-1478121-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2008/09/15 11:03
L3	1	2 and certific\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 11:03
L4	0	receiv\$3 adj2 certificat\$5 adj2 from adj2 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 11:07
L5	209	receiv\$3 adj2 certificat\$5 adj2 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 11:07
L6	136	I5 and public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 11:08
L7	121	I6 and authenticat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 11:08
L8	112	server adj2 (sends transmit\$4) adj2 certificat\$3 adj (client user terminal device)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 11:21
L9	101	I8 and public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 11:21

L10	23	(server adj2 (sends transmit\$4) adj2 certificat\$3 adj (client user terminal device)) same server near2 (creat\$4 generat\$4 calculat\$4 form)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 11:23
L11	121620	(smart card near inserted near3 device) and (smart card with (hold\$3 stor\$3) with key)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 12:05
L12	201	("smart card" near inserted near3 device) and (smart card with (hold\$3 stor\$3) with key)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 12:06
L13	7	12 and (tamper adj resistan\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 12:07
S1	161	(nakano and ohmori). in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 09:56
S2	40	S1 and security	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 09:56
S3	1	"10591269"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 09:58
S4	4	S1 and private.clm. and public.clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 09:59
S5	1	"10591276"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 10:10

S6	0	(base adj points) near different and elliptic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 10:21
S7	2	(base adj points) near3 different and elliptic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 10:21
S8	13	(base adj points) with different and elliptic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 10:22
S9	243	(group) near different and elliptic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 11:34
S10	26	(different unique second) near (public adj keys) with (one single master seed) near2 (private adj key)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/11 13:11
S11	6	US-20060083370-\$. DID. OR US- 20060036857-\$.DID. OR US-20050081041- \$.DID.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2008/09/11 13:24
S12	34	(different unique second set multiple) near (public adj keys) with (one single master seed) near2 (private adj key) not S10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 13:27
S13	26	generat\$3 near "public keys" near2 based near (private secret)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 13:57
S14	26	S13 not S10 not S12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 13:57

S15	30	(group set multiple) near (public adj keys) with (private adj key) not S10 not S12 not S13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/11 14:04
S16	25	(group set multiple) adj (public adj keys) with (private adj key) not S10 not S12 not S13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/11 14:05
S17	4	"2775399"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 10:08
S18	1	2005WO-JP004852. ap,prai.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 10:12
S19	0	sim near multiple near2 keys with providers	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:16
S20	0	sim near multiple near2 keys with servers	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:16
S21	0	sim with multiple near2 keys with servers	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:16
S22	0	sim with multiple near2 keys with providers	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:16
S23	0	sim with multiple near2 keys with carrierrs	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:16
S24	0	sim with multiple near2 keys with carriers	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:16

S25	0	sim with multiple with (key near pairs) with (providers servers content carriers)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:17
S26	0	sim with (multiple set group) with (key near pairs) with (providers servers content carriers)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:18
S27	1	(sim "smart card" ic smartcard) with (multiple set group) with (key near pairs) with (providers servers content carriers)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:18
S28	402	(send\$3 transit\$4) near2 public adj key with (provider carriers server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 10:22
S29	0	(send\$3 transit\$4) near2 public adj key with each near (provider carriers server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 10:22
S30	0	receiv\$ near parameters with generate with key adj pair	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 10:23
S31	0	(sim "smart card" ic smartcard) with (generat\$3) with (key near pairs) with (providers servers content carriers)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:24
S32	48829	(sim "smart card" ic smartcard) with (generat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:24
S33	0	(sim "smart card" ic smartcard) with (generat\$3) with (key near pairs) with parameters	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:24

S34	15	(sim "smart card" ic smartcard) with (generat\$3) with (key near pairs)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:25
S35	66	(phone (mobile adj device)) with multiple with carriers	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:34
S36	206	(phone (mobile adj device)) with multiple with providers	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:35
S37	6	(phone (mobile adj device)) with authenticat\$3 with multiple with providers	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:36
S38	0	sim near key adj pairs	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:49
S39	2	sim near3 key adj pairs	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:49
S40	7	("smart card" ic smartcard) near3 key adj pairs	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:50
S41	0	((key adj pair) public adj key) near each near3 (server provider carrier distributor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 11:05
S42	0	((key adj pair) public adj key) near each with (server provider carrier distributor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 11:06
S43	0	((key adj pair) public adj key) near2 each with (server provider carrier distributor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 11:06

S44	0	((key adj pair) public adj key) near3 each with (server provider carrier distributor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 11:06
S45	0	((key adj pair) public adj key) near3 each with (server provider carrier distributor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:06
S46	0	(unique adj public adj key) near each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:51
S47	0	(different adj public adj key) near each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:52
S48	0	(different adj public adj key) near2 each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:52
S49	0	(separate adj public adj key) near2 each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:52
S50	0	(separate near2 public adj key) near2 each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:52
S51	0	(different near2 public adj key) near2 each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:52
S52	0	(unique near2 public adj key) near2 each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:52
S53	0	(create near2 public adj key) near2 each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:53

S54	0	(creat\$3 near2 public adj key) near2 each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:53
S55	0	(public adj key) near2 each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:53
S56	37	S28 and ((different adj public) (unique adj public))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:02
S57	37	S28 and ((different adj public) (unique adj public))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:03
S58	0	multiple with public adj key with each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:17
S59	0	multiple with (public adj key) with each	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:18
S60	346	public adj key adj set	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:21
S61	39	anonymous adj public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:23
S62	27	public adj key with different with channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:25
S63	0	public adj key near per near (server channel provider carrier distributor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:30

S64	33	public adj key with per with (server channel provider carrier distributor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:30
S65	10	public adj key with per near3 (server channel provider carrier distributor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:31
S66	0	generate near2 set near2 pubic adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:33
S67	0	generat\$3 near2 set near2 pubic adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:33
S68	0	create\$3 near2 set near2 pubic adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:34
S69	0	set near2 pubic adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:34
S70	2	set near3 pubic adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:34
S71	0	generat\$3 near plurality near2 pubic adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:35
S72	0	generat\$3 adj pubic adj keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:35
S73	148	generat\$3 adj public adj keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:35

S74	7	generate near2 set near2 public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:36
S75	148	generat\$3 adj public adj keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:38
S76	522	set near2 public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:38
S77	310	group near2 public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:38
S78	146	group near public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 12:39
S79	15	group near public adj keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:41
S80	2	"6108422".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:48
S81	2	"5870424".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:51
S82	2	"5870474".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:51
S83	38	(us\$3 near different) adj (public adj key)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:53

S84	202	US-2738300-\$.DID. OR US-1626234-\$. DID. OR US- 6587837-\$.DID. OR US-6571339-\$.DID. OR US-6565000-\$. DID. OR US- 6532451-\$.DID. OR US-6523067-\$.DID. OR US-6510516-\$. DID. OR US- 6373950-\$.DID. OR US-6324525-\$.DID. OR US-6314519-\$. DID. OR US- 6299062-\$.DID. OR US-6285991-\$.DID. OR US-6282522-\$. DID. OR US- 6279112-\$.DID. OR US-6263447-\$.DID. OR US-6253027-\$. DID. OR US- 6243812-\$.DID. OR US-6230269-\$.DID. OR US-6213391-\$. DID. OR US- 6202151-\$.DID. OR US-2271178-\$.DID. OR WO-99057835-\$. DID. OR US- 6199052-\$.DID. OR US-6192130-\$.DID. OR US-6189096-\$. DID. OR US- 6167518-\$.DID. OR US-6161181-\$.DID. OR US-6161180-\$. DID. OR US- 6154543-\$.DID. OR US-6134325-\$.DID. OR US-6111956-\$. DID. OR US- 6105012-\$.DID. OR US-6104815-\$.DID. OR US-6102287-\$. DID. OR US- 6092202-\$.DID. OR US-6084969-\$.DID. OR US-6070154-\$. DID. OR US- 6061799-\$.DID. OR US-6061794-\$.DID. OR US-6044154-\$. DID. OR US-	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2008/09/12 13:24
-----	-----	---	-------------------------------------	----	----	---------------------

		DID. OR US-4748668-\$.DID. OR US-4424414-\$.DID. OR US-4408203-\$.DID. OR US-4405829-\$.DID. OR US-4218582-\$.DID. OR US-4200770-\$.DID. OR US-3962539-\$.DID. OR US-5883810-\$.DID. OR US-5870475-\$.DID. OR US-5825884-\$.DID. OR US-5422953-\$.DID. OR US-5809144-\$.DID. OR US-5615268-\$.DID. OR US-6073242-\$.DID. OR US-6594633-\$.DID. OR US-6671805-\$.DID. OR US-5001752-\$.DID. OR US-6618483-\$.DID. OR US-6704870-\$.DID. OR US-1138491-\$.DID. OR US-2880021-\$.DID. OR US-1101999-\$.DID. OR US-1626232-\$.DID.				
S85	105	S84 and public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 13:26
S86	18	beeson.in. and public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 13:31
S87	316	(generat\$3 adj new) near3 (pair near2 key)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 14:01
S88	308	(generat\$3 adj new) adj3 (pair near2 key)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 14:01

S89	3	session near2 different adj public adj keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:07
S90	0	distribute near2 different adj public adj keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:22
S91	1	distribut\$3 near2 different adj public adj keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:22
S92	0	generat\$3 adj anonymouse adj public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:27
S93	13	generat\$3 adj anonymous adj public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:27
S94	11	(creat\$3 generat\$3) near2 different adj2 public adj keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:51
S95	0	elgamal and "y. sup.3"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:26
S96	2	elgamal and "y. sup.3"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:27
S97	71	elgamal and "y. sup.2"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:28
S98	0	elgamal and "y. sup.2=x.sup.3"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:28

S99	11215	elgamal and "y. sup.2"adj "x.sup.3"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:28
S100	21	elgamal and "y. sup.2" adj "x.sup.3"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:28
S101	746	p-1 adj q-1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:31
S102	337	mod adj p-1 adj q-1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:31
S103	333	mod adj p-1 adj q-1 and RSA.u/c.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:31
S104	0	S17 adj mod adj p-1 adj q-1 and RSA.u/c.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:31
S105	5288	mod adj p-1 adj q-1 and RSA.u/c. p with prime	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:32
S106	332	mod adj p-1 adj q-1 and RSA.u/c. and p with prime	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:32
S107	332	mod adj p-1 adj q-1 and RSA.u/c. and (p and q) with prime	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:32
S108	234	(mod adj p-1 adj q-1) same (p and q) with prime and RSA. u/c.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:33

S109	3	"e.d.ident.1" adj (mod (p-1)(q-1)) same (p and q) with prime and RSA.u/c.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:34
S110	2	ep-1701283-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:40
S111	5	generat\$3 adj2 sets adj2 asymmetric\$3 adj5 keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:45
S112	2	ep-1229476-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:49
S113	2	"7171568".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:20
S114	2	"7174568".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:20
S115	42	cameron.in. and public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:35
S116	35	cameron.in. and public adj key and server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:36
S117	13	generat\$3 adj2 new adj3 pair adj2 keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 17:39
S118	2	EP-1478121-\$.DID.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2008/09/12 17:41

9/ 15/ 2008 3:17:45 PM

C:\ Documents and Settings\ mvaughan\ My Documents\ EAST\ Workspaces\ 10591276.wsp